

Object - sdk

SDK is optional but if it is returned, the data it contains is required.

| Field | Description | Req uired | For mat | Condition |
|--------------------------|---|--------------|------------|------------------------------|
| deviceRenderingOptionsIF | <p>Lists all of the SDK Interface types that the device supports for displaying specific challenge user interfaces within the SDK.</p> <p>Values accepted:</p> <ul style="list-style-type: none">• 01 = Native• 02 = HTML• 03 = Both | Yes | AN2 | Version 21 or higher (3DSV2) |
| deviceRenderOptionsUI | <p>Lists all UI types that the device supports for displaying specific challenge user interfaces within the SDK.</p> <p>String values accepted:</p> <ul style="list-style-type: none">• 01 = Text• 02 = Single Select• 03 = Multi Select• 04 = OOB• 05 = HTML Other (valid only for HTML UI) <p>The merchant should include more than one value, for instance : 01,02,03,05</p> | Yes | AN20 | Version 21 or higher (3DSV2) |
| appId | <p>Universally unique ID created upon all installations and updates of the 3DS Requestor App on a Consumer Device. This will be newly generated and stored by the 3DS SDK for each installation or update.</p> <p>Length: 36 characters with JSON Data Type.</p> <p>Canonical format as defined in IETF RFC 4122. This may utilise any of the specified versions as long as the output meets specified.</p> | Yes | AN36 | Version 21 or higher (3DSV2) |
| ephemPubKey | <p>Public key component of the ephemeral key pair generated by the 3DS SDK and used to establish session keys between the 3DS SDK and ACS.</p> <p>In AReq, this data element is present as its own object.</p> <p>In ARes, this data element is contained within the ACS Signed Content JWS Object.</p> | Yes | AN256 | Version 21 or higher (3DSV2) |
| maxTimeout | <p>Indicates maximum amount of time (in minutes) for all exchanges.</p> <p>Greater than or equal 05 with max 99</p> | Yes | AN2 | Version 21 or higher (3DSV2) |
| referenceNumber | <p>Identifies the vendor and version for the 3DS SDK that is integrated in a 3DS Requestor App, assigned by EMVCo when the 3DS SDK is approved.</p> | Yes | AN32 | Version 21 or higher (3DSV2) |
| transID | <p>Universally unique transaction identifier assigned by the 3DS SDK to identify a single transaction.</p> | Yes | AN36 | Version 21 or higher (3DSV2) |
| encData | <p>Send the encryption Data from the sdk information mobile in the verifyEnrollmentRequest :</p> <p>For instance : <![CDATA[497sbyjfg6fd...f654df65sd4f654]]></p> <p>Length: Variable, maximum 64000 characters</p> <p>JSON Data Type: String</p> | No | AN64000 | |